
2011 NORTH DAKOTA WEED CONTROL GUIDE



Compiled by: Rich Zollinger Extension Weed Science

CONTRIBUTORS:

Mike ChristoffersResearch Weed Science, Weed GeneticsGreg EndresExtension Area Agronomist, CarringtonGreta GramigResearch Weed Science, Weed Ecology

Kirk Howatt Research Weed Science, Small Grains/Minor Crops

Brian Jenks Research Weed Science, NCREC, Minot

Rod Lym Research Weed Science, Noxious/Invasive Weeds

Jeff Stachler NDSU/U of MN Extension Weed Science, Sugarbeet

Andrew Thostenson Extension Pesticide Programs **Harlene H. Valenti** Research High Value Crops

THIS PUBLICATION SUPERCEDES ALL PREVIOUS ISSUES OF W-253 SUBJECT TO CONDITIONS UNDER "WEED GUIDE INFORMATION"

www.ndsu.edu/weeds/





Table of Contents

Crana	Table		Narrative (Daragraph)	
	(Pages)		(Paragraph)	
Alfalfa, Legume forages	. 46-47	95		
Barley				
Canola, Rapeseed, Mustard	40		L1-2	
Canola, Herbicide Resistant				
Crambe				
Chick Pea/Garbanzo bean				
Corn				
Corn, Herbicide Resistant				
Dry bean				
Flax		92	K1-2	
Juneberry				
Lawn				
Lentil		91	H2-3	
Oat				
Pea, Field				
Potato / Vine kill		95	N1-3	
Safflower				
Small acreage crops: Buckwheat, Millet, Triticale, othe	rs . 17			
Sorghum	17			
Soybean	. 24-26	88-90	E1-13	
Soybean, Herbicide Resistant				
Sugarbeet			M1-15	
Sugarbeet Herbicide Resistant				
Sunflower				
Sunflower, Herbicide Resistant				
Wheat, Spring, Durum, Winter	7-14	82-84	C1-22	
Wheat, Barley PRE/POST-Harvest				
Noncropland				
Chemical fallow	. 48-49			
CRP				
CRP breakout		95	R1	
Grass establishment				
Shelterbelt	_			
Total Vegetation Control				
Total Vogotation Control 111111111111111111111111111111111111				
Special Weed Problems	53-63			
Annual weed control				
Bindweed, Field	. 54-55	98	T1	
Foxtails (pigeongrass)		96	S2	
Knapweed: Diffuse, Spotted, Russian				
Kochia		98	\$3	
Milkweed, Common				
Nightshade				
Noxious weeds				
Perennial weed control		98-101	T1-19	
Pigweed species				
Purple loosestrife or Lythrum				
Quackgrass	31	07	Co	
Ragweed, Common		97		
Saltcedar		404	T40	
Spurge, Leafy		101	118	
Starthistle, Yellow				
Thistles, Biennial: Bull, Musk, Plumeless			 -	
Thistle, Canada		98	12	
Toadflax, Dalmatian and Yellow				
Troublesome weeds in cropland and other areas				
Troublesome weeds in pasture / rangeland				
Volunteer Roundup Ready Crops				
Wild buckwheat		96	S1	
Wild oat		97	S6	
Wormwood, Absinth				
Wormwood, Annual or Biennial		97	S7	

Table of Contents (cont.)

Table Newstive	Toble Newstive
<u>Table</u> <u>Narrative</u> General (Pages) (Pages) (P-graph)	<u>Table</u> <u>Narrative</u> General (Pages) (Pages) (P-graph)
Abbreviations Used	Mixing order / Instructions 78
Adjuvants	Mode of Action, Herbicides 104-105
Annual Weed Control	,
	Names, Herbicide 122-129
Backpack Sprayer Calibration 79	Nozzles, Drift Reducing
Bioassay Instructions	Noxious Weeds of ND 53
Biological Weed Control	
Breakdown, Herbicides	Oil Adjuvants
	Organic Matter Test
Calibrating sprayers 79	
Carryover and Residues	
Combinations, Herbicide/Pesticide 78 A11-13	Perennial Weed Control 53-63 98-101 T1-19
Corn Herbicide Premixes 23	POST-Applied Herbicides
Crop Rotation Restrictions 108-110	POST Grass Herbicide Table 26
Crop Injury Investigation	Premixes, Herbicide - Corn
	- Soybean 29 Prices, Herbicide 122-129
Degradation, Herbicide	1 110e3, 11e1b101de
Drift, Spray and Vapor	
Drift Reducing Nozzles	Rain-Free Interval 69
·	Ratings, Weed Control 116-121
	Soil Applied 116-117
Emergency Information 5, Back page	POST Applied 118-121
Environment, Effect on Herbicides 68 A3	RR Volunteers
	Reduced Herbicide Rates
Fall-Applied Herbicides 6 80-81 B1-9	Residues, Herbicide
Feeding Restrictions	Residue Laboratories 111
Field Bioassay Instructions	Restricted Use Herbicides 5
Formulations, Herbicide 122-129	Rotation Restrictions 108-110
	RR, volunteer crops 115
Chimbosoto 60.74 A4	
Glyphosate	Soybean Herbicide Premixes 29
Grazing Restrictions	Spray Drift
3	Sprayer Calibration 79
	Sprayer Cleanout 75 75
Hand-held Sprayer Calibration 79	Sprayer Water Quality
Hard Water Antagonism	Storage Temperature, Herbicide 79
Haying Restrictions	Surfactants
Herbicide Breakdown, Factors	Surfactarits allowed in water 150
Herbicide Compendium 122-129	
Herbicide Formulations 122-129	Volunteers, RR 115
Herbicide Incorporation	
Herbicide Mode of Action 104-105	
Herbicide+Pesticide Combinations 78 A11-13	Water Quality
Herbicide, POST Grass Chart 26	Weed Control, Annual Weeds
Herbicide Premixes - Corn 23 - Soybean 29	Weed Control, Perennial Weeds 53-63 98-101 T1-19 Weed Control Ratings
Herbicide Prices 122-129	Soil Applied 116-117
Herbicide Storage Temps 79	POST Applied 118-121
Herbicide Rain-Free Interval 68	RUR volunteer crops 115
Herbicide Resistant Weeds	Weed of the Year
	Weed Resistance
Incorporation of Harbinidae	Weed Guide - How To Use 4
Incorporation of Herbicides	Weed Guide - General Information 4-5, 68
Laboratories for herbicide residue . 111	
Laboratories for water quality 132	2011 Updates
·· · · · · · · · · · · · · · · · · · ·	

WEED GUIDE INFORMATION

The information in this guide provides a summary of herbicide uses in crops grown in North Dakota and is based on federal and state herbicide labels, research at ND Ag. Experiment Stations, and information from the North Dakota Department of Agriculture.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Instructions for registered uses of herbicides are given on container labels. The label is the final guide and should be strictly followed. The information in this guide only applies to North Dakota because some herbicide uses are allowed only by supplemental or specific ND labeling. Label possession is required at the time of application.

This bulletin is provided for your information. North Dakota State University or its officers or employees make no claims, representations, or guarantees as to product performance nor accept responsibility for results from using herbicides. See legal disclaimer on the next page.

Below is information to aid in using this guide:

Herbicides. Herbicides in tables are listed by trade name followed by common name in parenthesis except where several brands are available. Contact chemical suppliers and the ND Dept of Ag for new label information.

Rates. Rates in tables are based on broadcast application and are expressed according to formulated product per acre with active ingredient (ai) or acid equivalent (ae) per acre given in parentheses. Commercial formulations of the same ai may vary in concentration.

For example, a pint of 4 lb ae/gal 2,4-D contains 0.5 lb while a pint of 6 lb ae/gal 2,4-D contains 0.75 lb or a quart of 3 lb ae/gal glyphosate contains 0.75 lb while a quart of 4.5 lb ae/gal glyphosate contains 1.125 lbs.

= ounce (16 oz/lb)

What is the difference between ai and ae? The ai of glyphosate is the weight of both glyphosate acid plus the salt formulated with the glyphosate molecule. The acid equivalent (ae) of glyphosate is only the weight of glyphosate without the salt. The label of commercial products list both active ingredient (ai) and inert ingredients. Inert ingredients are not phytotoxic but are used to create stable formulations and to aid in application, herbicide retention, deposition, and absorption. The active ingredient of some herbicides are formulated with salts or esters (See Herbicide Compendium). Glyphosate is formulated at different concentrations, as pure acid, and with four salts, isopropyl amine (ipa), dimethyl amine (dma), diammonium (2(NH₃), and potassium (K). The salt formulated with herbicide molecules does not contribute to weed control. Glyphosate formulated at different concentrations and with different salts require using acid equivalent (ae) when calculating rates. The following table will help to understand the relationship between ai and ae.

	Rate as acid equivalent (ae)			
	0.57	0.75	1.125	1.5
lb acid or active/gallon		fl c	z/A	
3 lb ae = 4 lb ai =	24	32	48	64
3.75 lb ae = 5 lb ai =	18	26	38	51
4 lb ae = 5.4 lb ai =	18	24	36	48
4.17 lb ae = 5.1 lb ai =	18	24	36	48
4.5 lb ae = 5.5 lb ai =	16	22	32	32
4.72 lb ae = 6.3 lb ai =	15	20	30	40
5 lb ae = 6.1 lb ai =	15	19	29	38

Weed Control Ratings. Herbicide effectiveness ratings listed in tables show general comparative ratings based on field observations. Weed control may be equal or greater than what is indicated in the table under favorable conditions or may be reduced and unsatisfactory may result in unfavorable conditions.

Units of Measurement

ΟZ

= fluid ounce (128 fl oz/gal) fl oz = pint (8 pt/gal) pt = gallon gal ae = acid equivalent = active ingredient ai = concentration conc v/v = volume/volume = pound, pounds/gallon lb, lb/gal = gallons per acre gpa

Crop Designation

HRSW = Hard red spring wheat

Type of Application

= Early preplant **EPP** PPI = Preplant incorporated **PRE** = Preemergence **EPOST** = Early postemergence = Postemergence POST POST Directed = Postemergence directed



= Aerial application prohibited

Abbreviations Used

Types	of Formulation
DF	= Dry flowable

EC = Emulsifiable concentrate

EW = Emulsion in water

F = Flowable

ME = Micro-encapsulated

S = Solution

SC = Suspension concentrate

SG = Soluble granule

WDG = Water dispersible granule

Miscellaneous

ACCase = Acetyl CoA carboxylase ALS = Acetolactate synthase **AMS** = Ammonium sulfate CEC = Cation exchange capacity = Days after application DAA = Dinitroaniline DNA IMI = Imidazolinone = Methylated seed oil MSO NIS = Nonionic surfactant OM = Organic matter PHI = Preharvest interval **RUP** = Restricted Use Pesticide SU = Sulfonvlurea **TPS** = Triazolopyrimidine sulfonamide

UAN = Urea ammonium nitrate

GENERAL INFORMATION

LEGAL DISCLAIMER

The weed control suggestions presented in this guide are based on Federal label clearance, on information obtained from the North Dakota Agricultural Experiment Station, and reports in North Dakota Weed Control Research.

CAUTION: Instructions for registered uses of herbicides are given on container labels. Read and follow label instructions carefully. Pesticide labels supercede recommendations given in this guide. Weed control suggestions in this guide are based on the assumption that all herbicides mentioned will continue to have a registered label with the Environmental Protection Agency. This guide may contain recommendations for herbicides that are labeled only for North Dakota. The user of any pesticide must possess a copy of the label at the time of application. State labels can be obtained from chemical dealers or distributors or found on the NDDOA web site at: http://www.kellysolutions.com/nd

Use pesticides only on registered crops. Some formulations of an active ingredient may not be labeled for certain uses. Federal law makes liable for seizure any raw agricultural commodity that possesses a pesticide residue for which no exemption or tolerance has been established or that exceeds the tolerances established by the Food and Drug Administration. Persons using pesticides in a manner contrary to label instructions are subject to penalty under federal and state laws. North Dakota State University or its officers or employees makes no claims or representations that the chemicals discussed will or will not result in residues on agricultural commodities and assume no responsibility for results from using herbicides.

USE PESTICIDES ONLY AS LABELED.

Pesticide Labeling and Registration

No pesticide may be sold or used in the United States until the U.S. Environmental Protection Agency (EPA) has registered and approved the product use and the labeling. Canadian and other foreign labeled pesticides may not be used in the United States until registered by the EPA.

TYPES OF PESTICIDE REGISTRATIONS

Federal EPA Registrations, also known as 3e and 2ee labels, are the most common and widely used type of pesticide registration. Product labels of pesticides being applied must be at the application site during the time of application. Aerial applicators must have the label at the loading site.

Section 24(c) Registrations, also known as (SLN) State Local Needs registrations:

- are state-specific registrations issued by states
- are used to address a special local need
- are used to address a special local freed
 must prove there is an existing or imminent pest problem
 for which a federally registered pesticide is not available
 can be used to address pest resistance management.
 SLN registrations can be used to register additional uses
 or add limitations for a federally registered pesticide, like
 adding application sites, pests, or alternate control
 methods to those listed on federally registered labeling.
 SLN labels are initiated by the ND Department of Ag and
 must be approved by EPA. Supplemental labeling must be
 provided for each SLN registration. Applicators must have
 the SLN label and federal label in their possession at
 application. These registrations are legal only in the state

or local area specified in the labeling.

Section 18 "Emergency" and "**Crisis" exemptions** from FIFRA allows the unregistered use of a pesticide to address an emergency pest situation and are used when a crisis pest situation:

- is an emergency and non-routine
- has no or ineffective alternative management tools and
- is severe and can be documented to cause yield or economic loss (>20%) on the specified crop.

Both types of exemptions from registration allows use of a pesticide for a non-registered purpose for a specified period of time. ND "Emergency" Section 18 exemptions are registrations initiated by the NDDA, are approved by the EPA, and can be declared if both federal and SLN registrations are not or cannot be enacted in time to prevent the condition. In rare occasions. when time is critical and the emergency is acute, NDDA can declare a "Crisis" exemption without written approval of EPA. The NDDA informs EPA of the condition prior to the action and allows EPA to support the state action. This process usually takes 10 to 14 days to complete. The duration of a "Crisis" exemption (14 to 21 days) is shorter than an "Emergency" exemption. If an "Emergency" exemption is being reviewed by the EPA at the time the "Crisis" exemption is declared the EPA may elect to grant the "Emergency" exemption and increase the period of duration. An applicator must possess federal labels and Section 18 exemption labeling at application.

RESTRICTED USE PESTICIDES (RUP)

EPA categorizes pesticides as either unclassified (general use) or restricted. **Restricted-Use Pesticides (RUP)** are pesticides that can cause harm to humans or environment and must be applied by certified applicators. Only certified dealers may sell RUPs and only certified applicators may purchase, apply or recommend an RUP. Private and commercial applicators must record certain information for all pesticide applications.

RESTRICTED USE HERBICIDES:

All products and premixes containing the active ingredients listed below are restricted use pesticides. See Mode of Action table in Section X1.

Alachlor = See Mode of Action #15
Atrazine = See Mode of Action #5
Isoxaflutole = See Mode of Action #27
Paraquat = See Mode of Action #22
Picloram = See Mode of Action #4
Brand names of other RUP:
Amitrole-T, Cytrole (amitrole)
Kerb 50W (pronamide)
Sulfuric acid

SAFETY AND EMERGENCY PHONE NUMBERS:

ND Poison Control Line: 800 222-1222 ND Emergency Assistance Line: 800 472-2121 Report pesticide incident to NDDA: 701 328-2232