RESTRICTED-USE PESTICIDES

Dean K. McBride

NORTH DAKOTA

STATE DEPOSITORY



The Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) of 1947, as amended in 1972, provides for the classification of all pesticides as general-use or restricted-use pesticides. Amended FIFRA also provides for the certification of individuals using restricted-use pesticides.

Restricted-use pesticides are those that may cause adverse effects to the environment or the applicator unless applied by competent users who have shown ability to use these products safely and effectively. General-use pesticides are those which will not ordinarily cause unreasonable adverse effects to the user or on the environment when used according to label instructions.

Pesticides are determined as restricted use by the United States Environmental Protection Agency through (a) classification by regulation, (b) routine registration process, or (c) administrative order. Restricted-use pesticides may be used only by certified pesticide applicators/dealers or competent persons under the direct supervision of a certified pesticide applicator.

A North Dakota farmer interested in becoming a **certified private pesticide applicator** must attend an approved certification training program conducted by his local county extension agent. For additional

NORTH DAKOTA STATE UNIVERSITY

DEC 14 1987

SERIALS DEPT.

information, contact your local county extension office.

An individual interested in becoming a **certified commercial pesticide applicator or dealer** must pass written examinations at training programs conducted annually by the North Dakota State University Extension Service. Re-certification of commercial applicators and dealers is required every three years and private applicators must be re-certified every five years. For additional information, contact the NDSU Extension Service at (701) 237-7180.

Pesticides listed on the following pages have been classified as restricted-use pesticides as of April, 1987.

(Note: In addition to EPA-designated restricted-use pesticides, there are many products that manufacturers have intended to be limited in distribution. These products frequently carry a label statement such as "for commercial applicators only" and are not intended for use by the general public. This pamphlet only lists EPA-designated restricted-use pesticides.)

S 544,3 N9 A8 1981

10.936




NDSU EXTENSION SERVICE North Dakota State University, Fargo, ND 58105

LIST OF RESTRICTED PESTICIDES ON THE FEDERAL REGISTER REVISED APRIL 1987 NORTH DAKOTA

| COMMON NAME | TRADE NAME | ТҮРЕ | FORMULATIONS RESTRICTED |
|------------------------|---|---------------------------|--|
| | (examples) | | |
| FUMIGANTS | | | |
| Aluminum Phosphide | Phostek Phostoxin Detia Tablets and Pellets Fumitoxin | Fumigant | Pellets and tablets. |
| Chloropicrin | Larvacide Picfume Acquinite | Fumigant | All formulations greater than 2%. All formulations for rodent control. |
| Magnesium Phosphide | Degesch-Magtoxin Degesch Fumi-strip Degesch Fumi-cel | Fumigant | All uses except 2% or less. |
| Methyl Bromide | (many) | Fumigant | All formulations. |
| Nicotine | alkaloid | Fumigant | Liquid & dry formulations of 14% & greater for indoor |
| | | Insecticide | use. All formulations for use on cranberries. |
| FUNGICIDES | | | |
| Cycloheximide | Acidione | Fungicide | All formulations for citrus & turf. |
| Dodemorph Acetate | Milban | Fungicide | 39% emulsifiable concentrate. |
| Triphenyltin Hydroxide | (many) | Fungicide | All formulations. |
| INSECTICIDES | | | |
| Aldicarb | Temik | Insecticide Nematicide | 10% or greater. |
| Azinphos Methyl | Guthion | Insecticide | All formulations except 50% wettable powder. |
| Carbofuran | Furadan 15G Furadan 75 WP Furadan 4F | Insecticide | All granules 10% and greater. All concentrate suspensions & wettable powders of 40% & greater. |
| Chlordimeform | Galecron & Fundal | Insecticide | All formulations. |
| Chlorobenzilate | Acaraben | Insecticide Miticide | Use on citrus. |
| Chlorpyrifos | *(note) | Insecticide | *Note: Most formulations of chlorpyrifos do not have a restricted use classification, Killmaster II being the only one. |
| Demeton | Systox | Insecticide | All formulations. |
| Dicrotophos | Bidrin Carbicron | Insecticide | All liquid formulations of 8% & greater. |
| Dioxathion | Delnav Zoecon Deltic | Insecticide | All concentrated solutions or emulsifiable concen- trates greater than 30%. All soluations greater than 3% for domestic use. |
| Disulfoton | Disyston | Insecticide Miticide | All emulsifiable concentrates 65% & greater. All emulsifiable concentrates and concentrated solutions 21% & greater, when mixed w/fensulfothion of 43% & greater. All emulsifiable concentrates 32% & greater mixed with 32% fensulfothion or greater. Granular formulations 10% & greater for indoor use (greenhouse) and field use. Non-aqueous solutions 95% & greater for commercial seed treatment. |

| COMMON NAME | TRADE NAME | TYPE | FORMULATIONS RESTRICTED |
|--------------------|---------------------------------------|-------------------------|--|
| (INSECTICIDES CONT | INUED) | | |
| Endrin | Endrin | Insecticide | All formulations. |
| Ethoprop | Мосар | Insecticide | Granules of 10% & greater. |
| Ethyl Parathion | Parathion | Insecticide | All formulations. |
| Fensulfothion | Dasanit | Insecticide | All concentrated solutions 63% & greater. Emulsifiable concentrates & concentrated solutions 43% & greater w/disulfoton of 21% & greater. All emulsifiable concentrates 32% & greater w/disulfoton of 32% or greater. Granular of 10% & greater used indoors. |
| Fenvalerate | Pydrin | Insecticide | All formulations. |
| Fonofos | Dyfonate | Insecticide | All granules 10% & greater. All emulsifiable concentrates 44% & greater. |
| Flucythrinate | Pay-Off | Insecticide | Only one product restricted. |
| Heptachlor | Heptachlor | Insecticide | All formulations. |
| Lindane | (many) | Insecticide | All formulations w/some exceptions, including seed treatment. |
| Methamidophos | Monitor Tamaron | Insecticide | Liquid formulations 40% or greater & dust formula- tions of 2.5% & greater. |
| Methidathion | Supracide Ultracide | Insecticide Miticide | All formulations for nursery stock, safflower & sunflower. |
| Methomyl | Lannate Nudrin | Insecticide | All formulations. |
| Methyl Parathion | (many) | Insecticide | All formulations. |
| Monocrotophos | Azodrin | Insecticide | Liquid formulations 19% & greater. |
| Nicotine | Alkaloid | Insecticide | Liquid & dry formulations of 14% & greater for indo use. All formulations for use on cranberries. |
| Permethrin | Ambush/Pounce | Fumigant Insecticide | All formulations. |
| Phorate | Thimet | Insecticide | All granules of 15% & greater. All liquid formulations of 65% or greater. |
| Phosphamidon | Dimecron | Insecticide | All liquid formulations of 75% & greater. All dusts of 1.5% & greater. |
| Propetamphos | Safrotin | Insecticide | All EC formulations. |
| Terbufos | Counter | Insecticide | Granules 15% & greater. |
| Toxaphene | (many) | Insecticide | All formulations. |
| Tralomethrin | Scout | Insecticide | All formulations. |
| HERBICIDES | | | |
| Aminotriazole | Amitrol-T & others | Herbicide | All formulations. |
| Cyanazine | Bladex 4L Bladex 15G Bladex 80W | Herbicide | All formulations. |
| Diallate | Avadex | Herbicide | All formulations. |
| Diclofop Methyl | Hoelon One Shot | Herbicide | All formulations. |
| Paraquat | Paraquat | Herbicide | All formulations. |
| Picloram | Tordon | Herbicide | All formulations except Tordon 101 R. |
| Pronamide | Kerb | Herbicide | Only products not in water soluble bags are restrict |
| Simazine | (many) | Herbicide | All formulations, check label. |
| Sulfuric Acid | Sulfuric Acid | Herbicide | (For potato dessication.) |

| COMMON NAME | TRADE NAME | TYPE | FORMULATIONS RESTRICTED |
|----------------------|---|------------------------|--|
| RODENTICIDES | | | |
| Sodium fluoroacetate | Compound 1080 | Rodents & Predators | All formulations. |
| Strychnine | (many) | Rodenticide | All formulations. |
| Zinc phosphide | Gopha-Rid Kilrat Mous-Con & others | Rodenticide | All formulations. |
| WOOD PRESERVATIVES | 6 | | |
| Creosote | (many) | Wood Preservative | All formulations. |
| Pentachloraphenol | (many) | Wood Preservative | All formulations. |
| Chromated Arsenicals | (many) | Wood Preservative | All wood preservative uses except commercial construction brush on. |



Helping You Put Knowledge To Work

NDSU Extension Service, North Dakota State University of Agriculture and Applied Science, and U.S. Department of Agriculture cooperating. William H. Pietsch, Interim Director, Fargo, North Dakota. Distributed in furtherance of the Acts of Congress of May 8 and June 30, 1914. We offer our programs and facilities to all persons regardless of race, color, sex, religion, age, national origin, or handicap; and are an equal opportunity employer.