## **Grasses (Forage) SEED TREATMENT**

Chemical	Application	Dosage <sup>1</sup>	Control <sup>2</sup> of Seedling Blights <sup>3</sup>	Remarks
Fludioxonil Maxim 4 FS, 40.3%	Slurry	0.08-0.16 fl oz/cwt	Х	For seed-borne and soil- borne fungi.
<b>Mefenoxam</b> Apron XL LS, 32.3%	Slurry or mist	0.32-0.64 fl oz/cwt	×	Apron XL LS controls only Pythium. For both commercial and on-farm use.
Metalaxyl Allegiance Fl 28.35% Allegiance Dry Seed Protectant, 12.5% Dyna-Shield, 28.35%	Mist or slurry Drill box Slurry	0.75 fl oz/cwt 3-4 oz/cwt 0.75 fl oz/cwt	X X X	Allegiance controls only Pythium.  Allegiance Dry Seed Protectant is for drill box application to seed not previously treated with Apron - thorough mixing of fungicide and seed is essential for good control.
<b>Thiram</b> 42-S Thiram, 42% Thiram 50WP Dyed, 50%	Liquid or slurry  Drill box or slurry	8 fl oz/cwt 8 oz/cwt	x x	

<sup>&</sup>lt;sup>1</sup>Dosage = Amount of formulated product to apply.

<sup>2</sup>X = Product labeled for crop and disease; Blank = product not labeled for specific disease.

<sup>3</sup>Seedling blights due to various fungal infections of seed.