CIRCULAR A-1

JANUARY 1961

1961

garden varieties



NORTH DAKOTA

STATE UNIVERSITY

FEB 6 - 1961

LIBRARY

Harry Graves
Extension Service Horticulturist
and

Neal S. Holland

Department of Horticulture

North Dakota Agricultural Experiment Station

Case. 5 544.3 .N9 A8

EXTENSION SERVICE

NORTH DAKOTA STATE UNIVERSITY

Preferred Varieties Underlined . . .

Freezing Varieties Starred *

ASPARAGUS. *Mary Washington

WAX BEANS, *Pencil Pod Black Wax, Topnotch Golden Wax

GREEN BEANS, *Topcrop, *Wade, *Tendergreen Greencrop, for trial

DRY BEANS, Great Northern, Michelite

LIMA BEANS, *Triumph, Early Market

BEETS, *Detroit Dark Red; Sweetheart, and Ruby Queen for trial.

BROCCOLI, *Mantador, *DeCicco

EARLY CABBAGE, Copenhagen Market, Golden Acre

LATE CABBAGE, Penn State Ballhead, Danish

CARROTS, *Nantes, *Coreless, *Red Cored Chantenay; Gold Pak, for trial

CELERY, Golden Plume

CUCUMBERS, Pickling: York State Pickling, M. R. 25. National Pickling. Slicing: Surecrop Hybrid, Burpee Hybrid, Marketer

EGG PLANT, Black Beauty, New Hampshire

LEAF LETTUCE, Slobolt, Salad Bowl, Black Seeded Simpson; Matchless, for trial

HEAD LETTUCE, Pennlake, Great Lakes, Premier Great Lakes

MUSKMELON, Minnesota Midget, Delicious 51, Lake Champlain

ONIONS (Seed), Early Yellow Globe, Southport Red or White Globe, Epock, Elite

Garden Varieties for 1961

ONIONS (Transplanting.) Sweet Spanish

ONIONS (Sets), Ebenezer

PARSNIPS, *Hollow Crown

EARLY PEAS, *Little Marvel, Thomas Laxton

MEDIUM PEAS, *Lincoln, Laxton's Progress

PEPPERS, *Merrimac Wonder, *Pennwonder, Vinedale, Sweet Salad

POPCORN, Japanese Hulless

EARLY POTATOES, Red Warba, Norland

POTATOES, MAIN CROP, Cobbler, Early Gem, Pontiac (later)

PUMPKIN, *Cheyenne Bush, Omaha, Sugar Pie

RADISHES, *Champion, Cherry Belle, White Icicle

RHUBARD, *Sunrise, *Valentine, *McDonald, *Ruby, *Canada Red

SPINACH, America, King of Denmark, New Zealand

SQUASH, WINTER, *Buttercup, *Banquet, Bush Buttercup and Uconn, for trial

SQUASH, SUMMER, *Early Prolific Straightneck, *Caserta

SWEET CORN, EARLY, *North Star, *Golden Rocket

SWEET CORN, MEDIUM, *Earligold, *Golden Beauty, Golden Bantam, Sunshine

SWEET CORN, LATE, *Golden Cross Bantam, Carmelcross

SWISS CHARD, Lucullus

TOMATOES, EARLY, Early Chatham

TOMATOES, MAIN CROP, Sheyenne, Cavalier, Bounty, Victor, Firesteel, Doublerich

WATERMELONS Hampshire Midget (Parly), Sugar y, Dakota Sweet



A New Suggestions....

- If your garden soil is heavy clay, you may have difficulty pulling slender carrot varieties like Coreless and Nantes. Half-long carrots like Red Cored Chantenay are tapering and so can be pulled with less effort.
- Have your CUCUMBER VINES become diseased about the time the little cukes started to set? If they have, chances are you have cucumber mosaic in your garden. YORKSTATE PICKLING, BURPEE HYBRID AND SURECROP HYBRID resist this disease.
- SHEYENNE is a new variety of tomato from the North Dakota Agricultural Experiment Station. Foliage diseases have not been as serious on SHEYENNE because of a heavy foliage cover. Problems with sunscald are also reduced. The fruit is large, meaty and of good color. SHEYENNE is commercially available in 1961.
- Would you like to produce muskmelons of very good quality? If so, try growing DELICIOUS 51. It is a large size melon with a very attractive appearance. It is a week to 10 days later than MINNESOTA MIDGET.
- Have you every grown broccoli? Try the variety, MANTADOR. This is a recent introduction from the North Dakota Agricultural Experiment Station. The plants of MANTADOR are dwarf and the leaves have a blue-green color. MANTADOR is early and produces medium sized heads with a medium texture. It produces a heavy crop of side shoots. The variety is best grown as a spring crop by starting the plants indoors in the same manner as cabbage.
- NORLAND, a new variety of red skinned, early potato from the North Dakota Agricultural Experiment station, has met with widespread approval. It is recommended as a good home garden variety.

Send specimens of diseased plants to the Department of Plant Pathology, NDSU College of Agriculture, for identification and recommended control.

Useful Garden Information

Plant In Field	Vegetable Varieties	Seed In Hothed	Seed Per 100 Feet	Distance Be- tween Rows	Thin Plants To This	Probable Yield in 100 ft. Row
HARDY VEGETABLES: Sow seed or transplant hardened plants as early as ground is ready to work well in spring. (Average about April 20 for 2/3 of State)	Asparagus		50 otts	40	24 in	75 lbe
	Broccoli	Mar. 15	1 pkt	2 ft.	18 in.	50 lbs.
	Cabbage (early)_	Mar. 15	1 pkt	2 ft.	18 in	125 1hs
	Cabbage (late)		2 pkts	2 ft	18 in.	125 lbs.
	Onions (seed)		1 oz	1 - 1/2 ft.	2 in	
	Onions (transplanting)Mar. 15					
					1 in	
	Radishes		1 oz	1 - 1/2 ft.	1 in	
					4 ft	
					6 in	
	Spinach		1 oz	1 - 1/2 ft	4 in	50 lbs.
HALF-HARDY VEGE- TABLES: Sow seed or transplant hardened plants a week or two before average date of last killing frost in your ares. (Average about May 10 for 2/3 of State)	Beets		l oz.	1-16 #	2 in.	3 bu
					2 in	
					7 in	
	Lettuce (leaf)				8 in	
	Lettuce (head) _				12 in	
					4 in	
					12 in	
	Swiss Chard				6 in	
TENDER VEGETABLES:	Beans (way and o	meen)	14 the	2.0	4 in	1 = 16 hu
Sow seed or transplant plants when soil is warm and after average date or danger of last killing	Beans (dry and field)					
					4 in	
					Hills 5 ft.	200 to 400
					18 in	
frost in your area. (aver-	Muskmelons				Hills 5 ft.	
age about May 25 for 2/3 of State)						200 peppers
					12 in	
					Hills 10 ft.	
					Hills 5 ft.	
					Hills 10 ft.	
					12 in	
THE RESERVE OF	Tomatoes	Apr. 10	1 plet	5 (t	4 ft	3 bu

t, North Dakota State University of Agriculture and Applied Science, and f Agriculture cooperating. E. J. Haslerud, Director, Fargo, North Dakota, nerance of the Acts of Congress of May 8 and June 30, 1914. Extension Ser U. S. Departr Distributed in