
2010 NORTH DAKOTA WEED CONTROL GUIDE



Compiled by: Rich Zollinger Extension Weed Science

CONTRIBUTORS:

Mike ChristoffersResearch Weed Science, Weed GeneticsGreg EndresExtension Area Agronomist, CarringtonGreta GramigResearch Weed Science, Weed Ecology

Kirk Howatt Research Weed Science, Small Grains/Minor Crops

Brian Jenks Research Weed Science, NCREC, Minot

Rod Lym

Research Weed Science, Noxious/Invasive Weeds

Jeff Stachler

NDSU/U of MN Extension Weed Science, Sugarbeet

Andrew Thostenson Extension Pesticide Programs **Harlene H. Valenti** Research High Value Crops

THIS PUBLICATION SUPERCEDES ALL PREVIOUS ISSUES OF W-253 SUBJECT TO CONDITIONS UNDER "WEED GUIDE INFORMATION"

www.ndsu.edu/weeds/





Table of Contents

	Table		Narrative	
Crops	(Pages)		(Paragraph)	
Alfalfa, Legume forages				
Barley	7-1/	82-84	C1-22	
Canola, Rapeseed, Mustard, tame	/-1 4	02-04	11.2	
Canola, Herbicide Resistant				
Crambe				
Chick Pea/Garbanzo bean				
Corn				
Corn, Herbicide Resistant				
Dry bean	. 30-31	91	F1-6	
Flax	39	92	K1-2	
Juneberry	17			
Lawn				
Lentil		01	H2-3	
Oat				
		04	C4 4	
Pea, Field	. 32-33			
Potato / Vine kill		95	N1-3	
Safflower				
Small acreage crops: Buckwheat, Millet, Triticale, othe	rs . 17			
Sorghum	17			
Soybean		88-90	E1-13	
Soybean, Herbicide Resistant				
Sugarbeet			M1-15	
Sugarbeet Herbicide Resistant	//3	0/		
Sunflower				
Sunflower, Herbicide Resistant	3/		J4-5	
Wheat, Spring, Durum, Winter				
Wheat, Barley PRE/POST-Harvest	16	85	C23-27	
CRP CRP breakout Grass establishment Shelterbelt Total Vegetation Control	52 52 64	95	R1	
Special Weed Problems Annual weed control	53-63	96-97	S1-8	
Bindweed, Field				
Foxtails (pigeongrass)				
ruxialis (pigeoligiass)		90		
Knapweed: Diffuse, Spotted, Russian		00	00	
Kochia				
Milkweed, Common				
Nightshade		96-97	S4	
Noxious weeds	53			
Perennial weed control	. 53-63	98-101	T1-19	
Pigweed species		97	S5	
Purple loosestrife or Lythrum				
Quackgrass				
Quackyrass	51	07	Co	
Ragweed, Common		97		
Saltcedar	5/			
Spurge, Leafy		101	I 18	
Starthistle, Yellow				
Thistles, Biennial: Bull, Musk, Plumeless	62			
Thistle, Canada	. 60-61	98	T2	
Toadflax, Dalmatian and Yellow				
Troublesome weeds in cropland and other areas				
Troublesome weeds in pasture / rangeland				
Volunteer Roundup Ready Crops		^^	04	
Wild buckwheat				
Wild oat		97	\$6	
Wormwood, Absinth	63			
Wormwood, Annual or Biennial		97	\$7	

Table of Contents (cont.)

Table Narrative	Table Narrative
General (Pages) (Pages) (P-graph)	General (Pages) (Pages) (P-graph)
Abbreviations Used 4	Mixing order / Instructions 78
Adjuvants 130-131 71-74 A5-6	Mode of Action, Herbicides 104-105
AMS Adjuvants	
Annual Weed Control 96-97 S1-8	Nemas Harbisida 400.400
	Names, Herbicide
Backpack Sprayer Calibration 79	Noxious Weeds of ND
Bioassay Instructions	
Biological Weed Control	
Breakdown, Herbicides	Oil Adjuvants
	Organic Matter Test
Calibrating sprayers 79	
Carryover and Residues	Perennial Weed Control 53-63 98-101 T1-19
Combinations, Herb/Pesticide 78 A11-13	POST-Applied Herbicides
Corn Herbicide Premixes 23	POST Grass Herbicide Table 26
Crop Rotation Restrictions 108-110	Premixes, Herbicide - Corn 23
Crop Injury Investigation	- Soybean 29 Prices, Herbicide
	Prices, Herbicide 122-129
Degradation Herbicides	
Drift, Spray and Vapor	Rain-Free Interval 69
Drift Reducing Nozzles	Ratings, Weed Control 116-121
	Soil Applied 116-117
5	POST Applied 118-121
Emergency Information 5, Back page Environ., Effect on Herbicides	RUR Volunteers
Environ., Effect of the folicides	Resistant Weeds
	Residues, Herbicide
Fall Herbicide Application	Residue Laboratories
Feeding Restrictions 112-114	Restricted Use Herbicides 5
Field Bioassay Instructions	Rotation Restrictions 108-110
Formulations, Herbicide 122-129	Roundup Ready volunteers 115
Glyphosate	Soybean Herbicide Premixes 29
Grasses, POST Herbicide Chart 26	Spray Drift
Grazing Restrictions 112-114	Sprayer Calibration
	Sprayer Water Quality
Hand-held Sprayer Calibration 79	Storage Temp, Herbicides 79
Hard Water Antagonism	Surfactants
Haying Restrictions 112-1146	Surfactants allowed in water 130
Herbicide Breakdown, Factors	
Herbicide Carryover	Voluntoors Poundun Poady 115
Herbicide Compendium 122-129 Herbicide Formulations 122-129	Volunteers, Roundup Ready 115
Herbicide Incorporation	
Herbicide Mode of Action 104-105	Water Quality
Herb+Pesticide Combinations 78 A11-13	Weed Control, Ann. Weeds 96-97 S1-7
Herbicide, POST Grass Chart 26	Weed Control, Per. Weeds 53-63 98-101 T1-19
Herbicide Premixes - Corn 23	Weed Control Ratings
- Soybean 29 Herbicide Prices 122-129	Soil Applied116-117 POST Applied118-121
Herbicide Storage Temps 79	RUR volunteer crops 115
Herbicide Rain-Free Interval 68	Weed of the Year
Herbicide Resistant Weeds	Weed Resistance
	Weed Guide - How To Use 4
Incomparation of Howkinides	Weed Guide - General Information 4-5, 68
Incorporation of Herbicides	
Lab test for herbicide residue 111	2009 Updates
Laboratories test water quality 132	•

WEED GUIDE INFORMATION

The information in this guide provides a summary of herbicide uses in crops grown in North Dakota and is based on federal and state herbicide labels, research at ND Ag. Experiment Stations, and information from the North Dakota Department of Agriculture.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Instructions for registered uses of herbicides are given on container labels. The label is the final guide and should be followed strictly. The information in this guide only applies to North Dakota because some herbicide uses are allowed only by supplemental or specific ND labeling. Persons are required to possess labels at the time of application.

This bulletin is provided for your information. North Dakota State University or its officers or employees make no claims, representations, or guarantees as to product performance nor accept responsibility for results from using herbicides. See legal disclaimer on the next page.

Below is information to aid in using this guide:

<u>Herbicides</u>. Herbicides in tables are listed by trade name followed by common name in parenthesis except where several brands are available. Contact chemical suppliers and the ND Dept of Ag for new label information.

<u>Rates.</u> Rates in tables are based on broadcast application and are expressed according to formulated product per acre with active ingredient (ai) or acid equivalent (ae) per acre given in parentheses. Commercial formulations of the same herbicide may vary in amount of ai.

For example, a pint of 4 lb ae/gal 2,4-D contains 0.5 lb while a pint of 6 lb ae/gal 2,4-D contains 0.75 lb or a quart of 3 lb ae/gal glyphosate contains 0.75 lb while a quart of 4.5 lb ae/gal glyphosate contains 1.125 lbs.

What is the difference between ai and ae? The ai of glyphosate is the weight of both glyphosate acid plus the salt formulated with the glyphosate molecule. The acid equivalent (ae) of glyphosate is just the weight of glyphosate without the salt. The label of commercial products list both active ingredient (ai) and inert ingredients. Inert ingredients are not phytotoxic but are used to create stable formulations and to aid in application, herbicide retention, deposition, and absorption. The active ingredient of some herbicides are formulated with salts or esters (See Herbicide Compendium). Glyphosate is formulated at 3, 4, 4.17, 4.5 and 5 lb of pure glyphosate acid per gallon. Glyphosate is also formulated as the pure acid and with three different salts, isopropyl amine (ipa), diammonium (2(NH₃), and potassium (K). Salts formulated with glyphosate molecule do not contribute to weed control. Glyphosate formulated at different concentrations and with different salts require using acid equivalent (ae) when calculating rates. The following table will help to understand the relationship between ai

	Rate as acid equivalent (ae)				
Product/A	0.38	0.57	0.75	1.125	
	fl oz/A				
3 lb ae = 4 lb ai	16	24	32	48	
4 lb ae = 5.4 lb ai	12	18	24	36	
4.17 lb ae	12	18	24	36	
4.5 lb ae = 5.5 lb ai	11	16	22	32	
5 lb ae = 6.1 lb ai	10	15	20	30	

<u>Weed Control Ratings.</u> Herbicide effectiveness ratings listed in tables show general comparative ratings based on field observations. Weed control may be equal or greater than what is indicated in the table under favorable conditions. However, weed control may be reduced and unsatisfactory results obtained in unfavorable conditions.

Units of Measurement

= ounce (16 oz/lb) = fluid ounce (128 fl oz/gal) fl oz = pint (8 pt/gal) pt gal = gallon = acid equivalent ae = active ingredient ai = concentration conc v/v = volume/volume lb, lb/gal = pound, pounds/gallon

Crop Designation

gpa

HRSW = Hard red spring wheat

= gallons per acre

Type of Application

EPP = Early preplant
PPI = Preplant incorporated
PRE = Preemergence
EPOST = Early postemergence
POST = Postemergence
POST Directed = Postemergence directed

= Aerial application prohibited

Abbreviations Used

Types of Formulation

DF = Dry flowable

EC = Emulsifiable concentrate

EW = Emulsion in water

F = Flowable

ME = Micro-encapsulated S = Solution

SC = Suspension concentrate

SG = Soluble granule

SP = Soluble powder

WDG = Water dispersible granule

<u>Miscellaneous</u>

ACCase = Acetyl CoA carboxylase ALS = Acetolactate synthase **AMS** = Ammonium sulfate CEC = Cation exchange capacity = Days after application DAA = Dinitroaniline DNA IMI = Imidazolinone MSO = Methylated seed oil NIS = Nonionic surfactant OM = Organic matter PHI = Preharvest interval **RUP** = Restricted Use Pesticide SU = Sulfonylurea = Triazolopyrimidine sulfonamide **TPS**

GENERAL INFORMATION

LEGAL DISCLAIMER

The weed control suggestions presented in this guide are based on Federal label clearance, on information obtained from the North Dakota Agricultural Experiment Station, and reports in North Dakota Weed Control Research.

CAUTION: Instructions for registered uses of herbicides are given on container labels. Read and follow label instructions carefully. Pesticide labels supercede recommendations given in this guide. Weed control suggestions in this circular are based on the assumption that all herbicides mentioned will continue to have a registered label with the Environmental Protection Agency. This guide may contain recommendations for herbicides that are labeled only for North Dakota. The user of any pesticide must possess a copy of the label at the time of application. State labels can be obtained from chemical dealers or distributors or found on the NDDOA web site at: http://www.kellysolutions.com/nd

Use pesticides only on registered crops. Some formulations of an active ingredient may not be labeled for certain uses. Federal law makes liable for seizure any raw agricultural commodity that possesses a pesticide residue for which no exemption or tolerance has been established or that exceeds the tolerances established by the Food and Drug Administration. Persons using pesticides in a manner contrary to label instructions are subject to penalty under federal and state laws. North Dakota State University or its officers or employees makes no claims or representations that the chemicals discussed will or will not result in residues on agricultural commodities and assume no responsibility for results from using herbicides

USE PESTICIDES ONLY AS LABELED.

Pesticide Labeling and Registration

No pesticide may be sold or used in the United States until the U.S. Environmental Protection Agency (EPA) has registered and approved the product use and the labeling. Canadian and other foreign labeled pesticides may not be used in the United States until registered by the EPA.

TYPES OF PESTICIDE REGISTRATIONS

Federal EPA Registrations, also known as 3e and 2ee labels, are the most common and widely used type of pesticide registration. Product labels of pesticides being applied must be at the application site during the time of application. Aerial applicators must have the label at the loading site.

Section 24(c) Registrations, also known as (SLN) State Local Needs registrations:

- are state-specific registrations issued by states
- are used to address a special local need
- must prove there is an existing or imminent pest problem for which a federally registered pesticide is not available can be used to address pest resistance management. SLN registrations can be used to register additional uses or add limitations for a federally registered pesticide, like adding application sites, pests, or alternate control methods to those listed on federally registered labeling. SLN labels are initiated by the ND Department of Ag and must be approved by EPA. Supplemental labeling must be provided for each SLN registration. Applicators must have the SLN label and federal label in their possession at application. These registrations are legal only in the state

or local area specified in the labeling.

Section 18 "Emergency" and "**Crisis" exemptions** from FIFRA allows the unregistered use of a pesticide to address an emergency pest situation and are used when an emergency or crisis pest situation:

- is an emergency and non-routine
- has no or ineffective alternative management tools
- is severe and can be documented to cause yield or economic loss (>20%) on the specified crop.

Both types of exemptions from registration allows use of a pesticide for a non-registered purpose for a specified period of time. ND "Emergency" Section 18 exemptions are registrations initiated by the NDDA, are approved by the EPA, and can be declared if both federal and SLN registrations are not or cannot be enacted in time to prevent the condition. In rare occasions, when time is critical and the emergency is acute, NDDA can declare a "Crisis" exemption without written approval of EPA. The NDDA informs EPA of the condition prior to the action and allows EPA to support the state action. This process usually takes 10 to 14 days to complete. The duration of a "Crisis" exemption (14 to 21 days) is shorter than an "Emergency" exemption. If an "Emergency" exemption is being reviewed by the EPA at the time the "Crisis" exemption is declared the EPA may elect to grant the "Emergency" exemption and increase the period of duration. An applicator must possess federal labels and Section 18 exemption labeling at application.

RESTRICTED USE PESTICIDES (RUP)

EPA categorizes pesticides as either unclassified (general use) or restricted. **Restricted-Use Pesticides (RUP)** are pesticides that can cause harm to humans or environment and must be applied by certified applicators. Only certified dealers may sell RUPs and only certified applicators may purchase, apply or recommend an RUP. Private and commercial applicators must record certain information for all pesticide applications.

RESTRICTED USE HERBICIDES:

All products and premixes containing the active ingredients listed below are restricted use pesticides. See Table X1, Herbicide Mode of Action for products containing these active ingredients.

Alachlor = See Mode of Action #15
Atrazine = See Mode of Action #5
Isoxaflutole = See Mode of Action #27
Paraquat = See Mode of Action #22
Picloram = See Mode of Action #4
Brand names of other RUP:

Amitrole-T, Cytrole (amitrole) Kerb 50W (pronamide) Sulfuric acid

SAFETY AND EMERGENCY PHONE NUMBERS:

ND Poison Control Line: 800 222-1222
ND Emergency Assistance Line: 800 472-2121
Report pesticide incident to NDDA: 701 328-2232